

DETAILED ACTION

1. This office action is in response to the communication filed on 05/15/2008.
2. Claims 1-20 are pending.

Response to Arguments

3. Applicant's arguments on the first and second rejections have been fully considered but they are found unpersuasive.

First ground of rejection

4. Applicant argues that the prior art does not teach "accessing current available bandwidths of the first and second processing units" (page 3 of the Remarks). The examiner respectfully traverses. The prior art does teach "accessing current available bandwidths of the first and second processing units" (see Venkatanarayan, fig. 1, abstract, [0015], lines 15-25, load balancing across active adaptors by selecting an adaptor (processing units) with the most available bandwidth)

Applicant argues that the prior art does not teach current available bandwidth being determined by accessing the initial expected available bandwidth as decremented by other processing requirements for that system processing unit (page 3, last par.) The examiner respectfully traverses. Given its broadest reasonable interpretation, the above limitation simply means that the current available bandwidth is the total bandwidth of a processing unit decremented by occupied bandwidth. Although this is extremely known in the art, the examiner has relied on Shneyderman to explain this limitation.

Shneyderman teaches each available virtual router (GGSN) tunnel has dedicated

allocated resources (including dedicated memory and CPU cycles) that is separate from others' resources (page 7 [0011], fig. 10, GGSN cluster); therefore, provisioning or assigning a virtual router tunnel is based on the amount of available processing power of each routing engines (system processing units), meaning available processing power of each routing engine is its unoccupied processing power (or total processing power subtracted by allocated processing power). The relationship between processing power such as CPU power and bandwidth is disclosed by Chen (abstract, par. 2, different CPUs have their own processing speeds that is related to their throughput or bandwidth, 5.2, par. 2, e.g. a CPU can forward 239,234 packets per second). Therefore, provisioning or assigning a virtual router tunnel is based on the amount of available processing power or available bandwidth of each routing engine (or system processing unit) is disclosed by the prior art. For claims 11 and 12, no clear distinction between absolute bandwidth capacity and relative bandwidth capacity and initial expected available bandwidth of each processing processor (or total BW), therefore, either absolute bandwidth capacity and relative bandwidth capacity is read as total bandwidth of a processing processor.

Second ground of rejection

5. Applicant argues that the prior art does not teach "accessing current available bandwidths of the first and second processing units" (page 5 of the Remarks). The examiner respectfully traverses. The prior art does teach "accessing current available bandwidths of the first and second processing units" (see Pham, [0061], [0062], load balancing by selecting a least loaded processor by calculating smallest completion time

of a fixed size data packet at each processor, available bandwidth is therefore calculated as known in the art, available BW = size/time, [0014], assessing available bandwidth of each data processing engine to load balance the traffic among the data processing engines).

In response to applicant's argument that Pham teaches away from the claimed invention, there is no disclosure, teachings and/or suggestions in Pham that would enable one of ordinary skilled in the art to conclude that Pham avoids (criticizes, discredits, or otherwise discourages) assigning VPN tunnels to each data processor based on Pham's load balancing technique. See *In re Fulton*, 391 F.3d 1195, 1201, 73 USPQ2d 1141, 1146 (Fed. Cir. 2004) [However, "the prior art's mere disclosure of more than one alternative does not constitute a teaching away from any of these alternatives because such disclosure does not criticize, discredit, or otherwise discourage the solution claimed...."].

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2152

7. Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chen et al. (Flexible control of a parallelism in a multiprocessor PC router, hereafter Chen) and further in view of applicant's admitted prior art (Background of the application, hereafter AAPA), and Venkatanarayan et al. (US 2005/0044221, hereafter Venkatanarayan) and Shneyderman et al. (Mobile VPNs for next generation GPRS and UMTS networks, hereafter Shneyderman).

8. For claim 1, Chen discloses a method of allocating processing capacity of system processing units in an extranet gateway, the method comprising the steps of:

establishing a first initial expected available bandwidth of a first of the system processing units; establishing a second initial expected available bandwidth of a second of the system processing units (abstract, par. 2, different CPUs have their own processing speeds that is related to their throughput or bandwidth, 5.2, par. 2, e.g. a CPU can forward 239,234 packets per second); and

Chen does not explicitly disclose:

assigning a Virtual Private Network (VPN) tunnel to one of the first and second system processing units for processing

However, AAPA discloses the same (AAPA, [0010], assigning tunnels to processing units)

Chen-AAPA does not disclose by assessing current available bandwidths of the first and second system processing units;

However, Venkatanarayan discloses by assessing current available bandwidths of the first and second system processing units (fig. 1, abstract, [0015], lines 15-25, load balancing across active adaptors by selecting an adaptor (processing units) with the most available bandwidth),

Chen-AAPA-Venkatanarayan does not disclose:

the current available bandwidths being determined by assessing the initial expected available bandwidth for that system processing unit as decremented by other processing requirements for that system processing unit;

However, Shneyderman discloses the current available bandwidths being determined by assessing the initial expected available bandwidth for that system processing unit as decremented by other processing requirements for that system processing unit (page 7, par. 6, the current available bandwidth is the processing power of routing/tunneling engines available, page 7, par. 11, current available resources is available resource of each route processor engine RPE that CPU resources can be preoccupied by virtual routers).

Therefore, it would have been obvious for one skilled in the art at the time of the invention to combine the teachings of Chen-AAPA-Venkatanarayan-Shneyderman to load balance VPN tunnels to processors that has the most available resources to fully utilize the processing capability of the processors and therefore raise throughput level of VPN gateway.

Art Unit: 2152

9. For claim 2, Chen-AAPA-Venkatanarayan-Shneyderman further discloses one of the other processing requirements comprises overhead processing requirements (Shneyderman, page 5 par. 1).

10. For claim 3, Chen-AAPA-Venkatanarayan-Shneyderman further discloses one of the other processing requirements comprises processing requirements associated with other VPN tunnel assignments (Venkatanarayan, fig. 2, [0017] line 11, Shneyderman, page 7, last par., use load balancing algorithm to select the most available bandwidth processor compared to other VPN tunnels).

11. For claim 4, Chen-AAPA-Venkatanarayan-Shneyderman further discloses one of the other processing requirements comprises processing requirements associated with another SPU handling a VPN tunnel assignment (Venkatanarayan, fig. 1, abstract, [0015], lines 15-25, load balancing across active adaptors by selecting an adaptor (processing units) with the most available bandwidth; Shneyderman, page 7, last par., use load balancing algorithm to select the most available bandwidth processor compared to processor with VPN assignments).

12. For claim 5, Chen-AAPA-Venkatanarayan-Shneyderman further discloses the processing requirements associated with other VPN tunnel assignments comprise encapsulation and de-encapsulation processing requirements for the other VPN tunnels (Shneyderman, page 4, par. 3, encapsulation VPN tunnel).

13. For claim 6, Chen-AAPA-Venkatanarayan-Shneyderman further discloses the processing requirements associated with other VPN tunnel assignments comprise at least one of encryption and de-encryption processing requirements for the other VPN tunnels (Shneyderman, page 9, IPsec based MVPN, par. 1, fig. 7, IPsec tunnel).

14. For claim 7, Chen-AAPA-Venkatanarayan-Shneyderman further discloses the first initial expected available bandwidth is established by multiplying a first processor speed associated with the first system processing unit with a first conversion factor, and wherein the second initial expected available bandwidth is established by multiplying a second processor speed associated with the second system processing unit with a second conversion factor (Chen, section 5.1, 5.2, a 500 Mhz processor can process up to 239,234 pps, the conversion factor is $500/239,234$).

15. For claim 8, Chen-AAPA-Venkatanarayan-Shneyderman further discloses the first conversion factor is the same as the second conversion factor (Chen, 5.1, 5.2, four 500 Mhz CPUs have same conversion factors).

16. For claim 9, Chen-AAPA-Venkatanarayan-Shneyderman further discloses the first conversion factor is defined as the amount of bandwidth passable by a given processor per unit CPU speed (Chen, 5.1, 5.2).

17. For claim 10, Chen-AAPA-Venkatanarayan-Shneyderman further discloses the step of assigning the VPN tunnel to one of the first and second system processing units comprises assigning the VPN tunnel to the system processing unit having the highest current available bandwidth (Venkatanarayan, fig. 1, abstract, [0015], lines 15-25, load balancing across active adaptors by selecting an adaptor (processing units) with the most available bandwidth)

18. For claim 11, Chen-AAPA-Venkatanarayan-Shneyderman further discloses the highest current available bandwidth is based on an absolute bandwidth capacity basis (Venkatanarayan, fig. 1, abstract, [0015], lines 15-25, load balancing across active adaptors by selecting an adaptor (processing units) with the most available bandwidth)

19. For claim 12, Chen-AAPA-Venkatanarayan-Shneyderman further discloses the highest current available bandwidth is based on a relative bandwidth capacity basis (Venkatanarayan, fig. 2, [0017] line 11, use load balancing algorithm to select a port with the most available bandwidth for forwarding packets).

20. For claim 13, Chen-AAPA-Venkatanarayan-Shneyderman further discloses the step of reducing the current available bandwidth for the one of the first and second system processing units to which the VPN tunnel was assigned (Shneyderman, page 7,

last par., each virtual router takes up CPU resources of a RPE, therefore reducing the maximum available bandwidth that CPU can support).

- 21. For claim 14, the claim is rejected for the same rationale as in claim 1.
- 22. For claim 15, the claim is rejected for the same rationale as in claims 2, 3, and 4.
- 23. For claim 16, the claim is rejected for the same rationale as in claim 6.
- 24. For claim 17, the claim is rejected for the same rationale as in claim 7.
- 25. For claim 18, the claim is rejected for the same rationale as in claim 8.
- 26. For claim 19, the claim is rejected for the same rationale as in claim 10.
- 27. For claim 20, the claim is rejected for the same rationale as in claim 11.

Second rejection

28. Claims 1 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chen et al. (Flexible control of a parallelism in a multiprocessor PC router, hereafter Chen) and further in view of applicant's admitted prior art (Background of the application, hereafter AAPA), and Pham et al. (US 2003/0074473, hereafter Pham) and Shneyderman et al. (Mobile VPNs for next generation GPRS and UMTS networks, hereafter Shneyderman).

29. For claim 1, Chen discloses a method of allocating processing capacity of system processing units in an extranet gateway, the method comprising the steps of:

establishing a first initial expected available bandwidth of a first of the system processing units; establishing a second initial expected available bandwidth of a second of the system processing units (4.1, par. 2, different CPUs have their own processing speeds that is related to their throughput or bandwidth, 5.2, par. 2, e.g. a CPU can forward 239,234 packets per second); and

Chen does not explicitly disclose:

assigning a Virtual Private Network (VPN) tunnel to one of the first and second system processing units for processing

However, AAPA discloses the same (AAPA, [0010], assigning tunnels to processing units)

Chen-AAPA does not disclose by assessing current available bandwidths of the first and second system processing units;

However, Pham discloses by assessing current available bandwidths of the first and second system processing units (fig. 3, a plurality of processors in a VPN gateway, [0060], [0061], lines 1-8, [0062] lines 1-10, selection of a crypto engine (or any processor engine) is based on its completion time delta, or its bandwidth (time completing processing for a same packet size, [0056], [0014], assessing available bandwidth of each data processing engine to load balance the traffic among the data processing engines),

Chen-AAPA-Pham does not disclose:

the current available bandwidths being determined by assessing the initial expected available bandwidth for that system processing unit as decremented by other processing requirements for that system processing unit;

However, Shneyderman discloses the current available bandwidths being determined by assessing the initial expected available bandwidth for that system processing unit as decremented by other processing requirements for that system processing unit (page 7, par. 6, the current available bandwidth is the processing power of routing/tunneling engines available, page 7, par. 11, current available resources is available resource of each route processor engine RPE that CPU resources can be preoccupied by virtual routers).

Therefore, it would have been obvious for one skilled in the art at the time of the invention to combine the teachings of Chen-AAPA-Pham-Shneyderman to load balance VPN tunnels to processors that has the most available resources to fully utilize the processing capability of the processors and therefore raise throughput level of VPN gateway.

30. For claim 14, the claim is rejected for the same rationale as in claim 1.

Conclusion

31. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

32. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hieu T. Hoang whose telephone number is 571-270-1253. The examiner can normally be reached on Monday-Thursday, 8 a.m.-5 p.m., EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bunjob Jaroenchonwanit can be reached on 571-272-3913. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2152

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HH

/Bunjob Jaroenchonwanit/

Supervisory Patent Examiner, Art Unit 2152